

Table 1: Number of households and women, and response rates, Togo, 2000

	URBAIN/RURAL		Total
	Urbain	Rural	
Sampled households	1538	3046	4584
Occupied households	1538	3046	4584
Completed households	1538	3046	4584
Household response rate	100.0	100.0	100.0
Eligible women	1770	3392	5162
Interviewed women	1615	3060	4675
Women response rate	91.2	90.2	90.6
Children under 5	732	2607	3339
Interviewed children under 5	689	2440	3129
Child response rate	94.1	93.6	93.7

Table 2: Single year age distribution of household population by sex, Togo, 2000

	SEXE			
	Masculin		Féminin	
	Number	Percent	Number	Percent
Groupe d'Age 0	335	3.0	355	3.0
1	296	2.6	296	2.5
2	308	2.7	292	2.5
3	310	2.7	302	2.6
4	250	2.2	251	2.2
5	364	3.2	384	3.3
6	397	3.5	415	3.6
7	393	3.5	380	3.3
8	418	3.7	400	3.4
9	363	3.2	342	2.9
10	423	3.7	393	3.4
11	289	2.5	271	2.3
12	376	3.3	365	3.1
13	305	2.7	328	2.8
14	294	2.6	323	2.8
15	321	2.8	222	1.9
16	247	2.2	197	1.7
17	209	1.8	177	1.5
18	319	2.8	228	2.0
19	225	2.0	176	1.5
20	274	2.4	263	2.3
21	150	1.3	138	1.2
22	197	1.7	194	1.7
23	156	1.4	168	1.4

Table 2: Single year age distribution of household population by sex, Togo, 2000

		SEXE			
		Masculin		Féminin	
		Number	Percent	Number	Percent
Groupe d'Age	24	126	1.1	142	1.2
	25	229	2.0	280	2.4
	26	128	1.1	145	1.2
	27	126	1.1	155	1.3
	28	162	1.4	224	1.9
	29	100	.9	110	.9
	30	219	1.9	295	2.5
	31	77	.7	103	.9
	32	146	1.3	168	1.4
	33	88	.8	82	.7
	34	78	.7	85	.7
	35	210	1.8	241	2.1
	36	118	1.0	99	.8
	37	116	1.0	97	.8
	38	104	.9	156	1.3
	39	78	.7	70	.6
	40	194	1.7	228	2.0
	41	61	.5	57	.5
	42	106	.9	98	.8
	43	50	.4	64	.5
	44	39	.3	48	.4
	45	180	1.6	139	1.2
	46	51	.4	34	.3
	47	42	.4	31	.3
	48	58	.5	65	.6
	49	43	.4	27	.2
	50	108	.9	145	1.2
	51	37	.3	82	.7
	52	45	.4	124	1.1
	53	45	.4	77	.7
	54	42	.4	53	.5
	55	104	.9	149	1.3
	56	36	.3	45	.4
	57	30	.3	23	.2
58	42	.4	39	.3	
59	20	.2	19	.2	
60	109	1.0	152	1.3	
61	13	.1	18	.2	
62	48	.4	36	.3	
63	18	.2	33	.3	

Table 2: Single year age distribution of household population by sex, Togo, 2000

		SEXE			
		Masculin		Féminin	
		Number	Percent	Number	Percent
Groupe d'Age	64	20	.2	12	.1
	65	67	.6	99	.8
	66	10	.1	19	.2
	67	17	.2	15	.1
	68	33	.3	29	.2
	69	13	.1	19	.2
	70 ans & +	325	2.9	363	3.1
	ND/NSP	13	.1	12	.1
Total	11344	100.0	11663	100.0	

Table 3: Percentage of cases missing information for selected questions, Togo, 2000

	Percent missing	Number
Level of education	.0	23000
Year of education	.0	22992
Number of hours worked	.0	8600

Table 3: Percentage of cases missing information for selected questions, Country, Year

	Percent missing	Number
Complete birth date	.0	4674
Date of last tetanus toxoid injection	.0	4672
Ever been tested for HIV	.0	4674

Table 4a: Percent distribution of households by background characteristics, Togo, 2000

		URBAIN/RURAL		Total
		Urbain	Rural	
REGION	Lomé,	46.0	.0	18.1
	Maritime	25.0	32.3	29.4
	Plateaux	11.6	31.3	23.6
	Centrale	6.7	9.2	8.2
	Kara	7.7	13.8	11.4
	Savanes	3.0	13.4	9.3
Number of HH members	1	21.2	10.5	14.7
	2-3	28.0	18.9	22.5
	4-5	23.1	25.8	24.7
	6-7	14.5	21.5	18.7
	8-9	6.6	12.0	9.9
	10+	6.6	11.4	9.5
	Total	100.0	100.0	100.0
	Number	1784	2763	4548
	Unweighted	1538	3046	4584

Table 4a: Percent distribution of households by background characteristics, Country, Year

		URBAIN/RURAL		Total
		Urbain	Rural	
At least one child age < 15		88.6	97.3	92.9
At least one child age < 5		71.5	93.6	84.9
At least one woman age 15-49		68.2	70.3	69.5
Number		1784	2763	4547
Unweighted		1538	3045	4583

Table 5: Percent distribution of women 15-49 by background characteristics, Togo, 2000

		Percent	Number	Unweighted
Région	Lomé	18.9	884	747
	Maritime	27.5	1284	778
	Plateaux	23.1	1081	893
	Centrale	8.6	400	707
	Kara	10.8	506	589
	Savanes	11.1	519	960
URBAIN/RURAL	Urbain	41.6	1944	1673
	Rural	58.4	2730	3001
Groupe d'Age	15-19 ans	19.8	927	881
	20-24 ans	18.6	869	844
	25-29 ans	18.9	883	895
	30-34 ans	14.6	681	716
	35-39 ans	13.3	624	649
	40-44 ans	9.5	446	440
Etat matrimonial	45-49 ans	5.2	245	249
	En Union	67.9	3174	3298
	Plus en union	9.2	428	382
Avez-vous eu des naissances vivantes	Célibataire	22.9	1071	994
	Oui	14.9	694	757
Niveau d'instruction de la femme	Non	85.1	3980	3917
	Sans instruction	50.4	2358	2602
	Primaire	31.5	1473	1351
	Secondaire & +	17.7	827	707
	Programme non formel	.3	15	12
Total	Non Déclaré, NSP	.0	2	2
		100.0	4674	4674

Table 6: Percent distribution of children under 5 by background characteristics, Togo, 2000

		Percent	Number	Unweighted
SEXE	Masculin	50.3	1574	1567
	Féminin	49.7	1555	1562
Région	Lomé	10.1	317	249
	Maritime	25.2	788	467
	Plateaux	25.5	797	647
	Centrale	9.0	281	454
	Kara	12.9	404	443
	Savanes	17.3	541	869
	URBAIN/RURAL	Urbain	27.2	852
	Rural	72.8	2277	2411
Age	< 6 mois	11.5	359	360
	6-11 mois	10.8	337	341
	12-23 mois	20.4	638	645
	24-35 mois	20.3	636	646
	36-47 mois	20.1	628	621
	48-59 mois	16.9	528	512
Mother's education level	Aucun niveau	65.0	2032	2152
	primaire	27.2	850	771
	Secondaire +	7.8	244	204
	programme non formel	.0	1	1
	Manquant/NSP	.0	1	1
Total		100.0	3129	3129

Table 9: Percentage of children aged 36-59 months who are attending some form of organized early childhood education programme, Togo, 2000

		Attending programme	Number of children
Wealth Index	Tres pauvre	3.3	302
Quintiles	Pauvre	4.8	243
	Modeste	1.6	235
	Riche	10.8	215
	Tres riche	31.7	161
	SEXE	Masculin	8.3
	Féminin	9.0	564
Région	Lomé	31.0	107
	Maritime	8.7	323
	Plateaux	8.0	293
	Centrale	5.6	100
	Kara	1.9	143
	Savanes	3.5	189
	URBAIN/RURAL	Urbain	17.9
	Rural	5.2	844
Age	36-47 months	6.5	628
	48-59 months	11.0	528
Mother's education level	Aucun niveau	4.7	790
	primaire	12.2	287
	Secondaire +	33.3	78
	programme non formel	100.0	1
Total		8.6	1156

World Summit for Children Goal => Number 26

Table 10: Percentage of children entering first grade of primary school who eventually reach grade 5, Country, Year

		Percent in grade 1 reaching grade 2	Percent in grade 2 reaching grade 3	Percent in grade 3 reaching grade 4	Percent in grade 4 reaching grade 5	Percent who reach grade 5 of those who enter grade 1
Wealth Index Quintiles	Tres pauvre	96.7	96.2	94.5	96.2	84.6
	Pauvre	95.8	96.3	98.0	91.9	83.0
	Modeste	98.1	97.5	95.1	97.3	88.5
	Riche	95.0	98.7	97.9	100.0	91.8
	Tres riche	100.0	99.2	96.9	94.9	91.2
SEXE	Masculin	97.3	97.3	96.3	96.2	87.7
	Féminin	96.5	98.0	97.0	96.3	88.4
REGION	Lomé	98.6	98.5	96.1	93.8	87.5
	Maritime	95.8	98.0	97.9	98.4	90.5
	Plateaux	97.8	98.0	96.0	93.6	86.1
	Centrale	98.8	99.4	97.1	97.9	93.4
	Kara	98.2	99.3	96.2	97.6	91.6
URBAIN/RURAL	Savanes	93.7	90.1	94.5	96.7	77.2
	Urbain	97.0	99.4	96.3	97.2	90.2
	Rural	96.9	96.7	96.8	95.8	86.9
1.00		96.9	97.6	96.6	96.3	88.0

World Summit for Children Goal => Number 6

Table 11: Percentage of children of primary school age attending primary school, Togo, 2000

		SEXE				Total	
		Masculin		Féminin		Attending	Number
		Attending primary school		Attending primary school			
		Attending	Number	Attending	Number		
Wealth Index Quintiles	Tres pauvre	55.3	539	40.4	514	48.0	1053
	Pauvre	58.0	489	51.9	449	55.1	938
	Modeste	65.6	497	60.2	457	63.0	954
	Riche	76.4	462	68.7	421	72.7	883
	Tres riche	91.0	296	80.9	360	85.5	656
REGION	Lomé	86.1	191	76.9	241	81.0	432
	Maritime	74.1	619	60.2	625	67.1	1244
	Plateaux	70.9	582	70.1	506	70.5	1088
	Centrale	64.3	223	56.9	210	60.7	434
	Kara	60.6	294	56.9	259	58.8	552
URBAIN/RURAL	Savanes	46.1	374	31.2	359	38.8	733
	Urbain	84.5	632	74.4	694	79.2	1327
	Rural	60.3	1652	51.7	1506	56.2	3158
AGE	6	40.7	397	36.7	415	38.6	812
	7	61.1	393	49.7	380	55.5	773
	8	68.5	418	65.6	400	67.1	818
	9	77.2	363	65.6	342	71.6	705
	10	80.2	423	68.3	393	74.5	815
	11	76.9	289	73.6	271	75.3	560
Total		67.0	2284	58.9	2201	63.0	4484

World Summit for Children Goal => Number 6

Table 12: Percentage of the population aged 15 years and older that is literate, Togo, 2000

		SEXE						Total		
		Masculin			Féminin			Literate	Not known	Number
		Literate	Not known	Number	Literate	Not known	Number			
Wealth Index Quintiles	Tres pauvre	41.5	.4	1065	16.4	.3	1154	28.5	.3	2219
	Pauvre	56.7	.4	1195	23.3	.2	1253	39.6	.3	2448
	Modeste	63.0	.3	1127	26.5	.4	1281	43.6	.3	2408
	Riche	80.0	.1	1324	48.0	.1	1367	63.8	.1	2691
	Tres riche	91.0	.3	1496	69.0	.7	1501	80.0	.5	2997
REGION	Lomé	92.0	.1	1060	68.3	.5	1088	80.0	.3	2147
	Maritime	74.2	.3	1733	37.2	.4	1864	55.0	.4	3597
	Plateaux	71.2	.3	1486	40.6	.3	1464	56.0	.3	2950
	Centrale	61.6	.4	583	31.4	.3	563	46.7	.3	1146
	Kara	58.1	.2	737	28.5	.1	835	42.4	.1	1572
	Savanes	23.9	.4	609	9.2	.4	742	15.8	.4	1351
URBAIN/RURAL	Urbain	85.9	.3	2479	59.8	.5	2500	72.8	.4	4979
	Rural	56.9	.3	3729	25.1	.2	4055	40.3	.3	7784
Age	15-24	83.1	.6	2225	63.3	.5	1904	74.0	.5	4129
	25-34	76.9	.0	1353	40.0	.1	1648	56.6	.1	3001
	35-44	68.9	.0	1077	35.3	.8	1157	51.5	.4	2234
	45-54	50.2	.5	649	20.0	.0	777	33.7	.2	1425
	55-64	42.6	.2	440	9.7	.5	526	24.7	.4	966
	65+	22.7	.0	465	6.3	.0	543	13.9	.0	1008
Total		68.5	.3	6208	38.3	.3	6555	53.0	.3	12763

World Summit for Children Goal => Number 7

Table 13: Percentage of the population using improved drinking water sources, Togo, 2000

		Main source of water								
		Robinet dans le logement	Robinet dans la concession	Borne Fontaine	Puits à pompe	Puits protégé	Source protégée	Eau de pluie	Eau en bouteille	Puits non protégé
REGION	Lomé	13.5	8.5	57.5	.0	4.1	.1	.4	.3	13.4
	Maritime	1.0	2.4	38.2	4.1	3.6	.4	2.6	.0	35.0
	Plateaux	.3	.8	18.5	5.2	5.8	.4	2.5	.0	15.6
	Centrale	.4	1.8	10.9	7.8	19.6	1.8	.1	.0	34.3
	Kara	.2	2.3	30.4	8.9	14.7	1.0	.3	.0	12.6
	Savanes	.8	.2	12.5	10.4	4.4	.6	.0	.1	35.1
URBAIN/RURAL	Urbain	6.6	6.7	50.9	1.4	9.5	.1	1.2	.1	19.3
	Rural	.1	.3	17.8	7.8	5.9	.8	1.5	.0	27.3
Total		2.4	2.5	29.3	5.6	7.2	.6	1.4	.1	24.5

World Summit for Children Goal => Number 4

Table 13: Percentage of the population using improved drinking water sources, Togo, 2000

		Main source of water					Total	Total with safe drinking water	Number of persons
		Source non protégée	Mare, Ruisseau ou Fleuve	Camion citerne, vendeur d'eau	Autre	Pas de reponse, NSP			
REGION	Lomé	.0	.0	.3	1.4	.7	100.0	83.5	3205
	Maritime	1.1	10.6	.7	.2	.0	100.0	49.7	6312
	Plateaux	5.0	44.9	.1	.7	.0	100.0	31.0	5496
	Centrale	.8	22.5	.0	.0	.0	100.0	42.3	2107
	Kara	6.6	20.9	.0	2.0	.0	100.0	57.6	2864
	Savanes	5.2	30.3	.2	.0	.2	100.0	28.9	3024
URBAIN/RURAL	Urbain	.7	2.1	.3	.7	.3	100.0	75.3	7974
	Rural	4.3	33.0	.3	.7	.1	100.0	32.8	15033
Total		3.1	22.3	.3	.7	.1	100.0	47.5	23007

World Summit for Children Goal => Number 4

Table 14: Percentage of the population using sanitary means of excreta disposal, Togo, 2000

		GENRE DE TOILETTE UTILISEE							Total	Total with sanitary means of excreta disposal	Number of persons
		Chasse d'eau ou fosse septique	Fosse ,tanche	Latrines couvertes	Latrines traditionnelle ou non couverte	Autre	Pas de toilette/brousse/champ	NSP			
REGION	Lomé	36.5	42.5	10.8	1.9	.6	7.0	.7	100.0	91.7	3205
	Maritime	5.0	25.4	5.3	17.2	1.1	46.0	.0	100.0	52.8	6312
	Plateaux	2.0	13.8	3.3	11.9	.4	68.6	.0	100.0	31.0	5496
	Centrale	1.4	18.3	1.4	.3	.0	78.5	.0	100.0	21.5	2107
	Kara	2.2	8.8	1.1	1.4	.0	86.6	.0	100.0	13.4	2864
	Savanes	.2	8.8	1.2	2.4	1.1	86.3	.0	100.0	12.6	3024
URBAIN/RURAL	Urbain	20.3	42.8	7.2	4.0	.7	24.8	.3	100.0	74.3	7974
	Rural	.5	8.1	2.5	10.7	.6	77.6	.0	100.0	21.8	15033
Total		7.4	20.1	4.2	8.4	.6	59.3	.1	100.0	40.0	23007

World Summit for Children Goal => Number 5

Table 16: Percent of living children by breastfeeding status, Togo, 2000

		Exclusive breastfeeding		Complementary feeding rate		Continued breastfeeding rate		Continued breastfeeding rate	
		Children 0-3 months	Number of children	Children 6-9 months	Number of children	Children 12-15 months	Number of children	Children 20-23 months	Number of children
SEXE	Masculin	18.8	110	69.0	106	94.0	142	65.7	90
	Féminin	26.9	129	62.1	113	96.8	135	64.2	86
Région	Lomé	20.0	25	73.3	19	96.3	34	50.0	23
	Maritime	13.1	65	62.9	58	97.4	55	59.8	29
	Plateaux	39.0	64	77.4	50	96.3	63	71.2	56
	Centrale	16.2	23	75.0	20	91.5	29	62.4	10
	Kara	28.8	24	73.9	25	97.7	43	66.2	29
	Savanes	16.5	38	44.1	47	91.7	52	69.4	30
URBAIN/RURAL	Urbain	22.7	61	72.4	54	98.0	82	50.3	45
	Rural	23.3	178	63.2	166	94.3	195	70.0	131
Mother's education level	Aucun niveau	15.9	143	63.7	142	95.7	165	72.4	114
	primaire	29.2	84	67.5	61	94.6	83	57.3	51
	Secondaire +	65.1	12	72.7	16	95.8	28	25.5	12
Total		23.2	239	65.4	219	95.4	277	65.0	177

World Summit for Children Goal => Number 16

Table 16w: Percent distribution of children by breastfeeding status, Togo, 2000

	Breastfeeding status					Total	
	Not breastfeeding	Exclusively breastfed	Breast milk and water only	Breast milk and liquids only	Breast milk and solid/mushy food	Total	Number of children
Age 0-1	1.8	34.4	27.4	24.4	12.0	100.0	108
2-3	2.9	13.8	27.9	27.6	27.8	100.0	131
4-5	3.5	7.4	20.2	22.4	46.6	100.0	120
6-7	3.2	3.2	14.2	16.4	63.0	100.0	127
8-9	4.9	1.8	14.8	8.6	69.8	100.0	91
10-11	3.9	.0	14.0	12.7	69.5	100.0	118
12-13	3.9	1.4	14.4	8.1	72.3	100.0	141
14-15	5.4	1.4	9.4	11.3	72.4	100.0	136
16-17	6.9	.7	19.6	14.6	58.3	100.0	100
18-19	10.2	2.2	9.1	10.1	68.4	100.0	84
20-21	29.3	.0	6.8	7.8	56.1	100.0	80
22-23	39.8	.0	1.5	5.1	53.6	100.0	97
24-25	48.5	.0	4.4	6.6	40.6	100.0	125
26-27	71.1	.5	3.4	2.6	22.4	100.0	118
28-29	69.0	1.2	4.9	4.0	20.9	100.0	99
30-31	86.1	.0	.0	.0	13.9	100.0	104
32-33	87.8	.0	.7	.0	11.5	100.0	95
34-35	97.9	.0	.0	.7	1.4	100.0	95

Exclusively breastfed includes vitamin, mineral supplements and medicine

Table 17: Percentage of households consuming adequately iodized salt, Togo, 2000

		Percent of households with no salt	Percent of households in which salt was tested	Result of test				Number of households interviewed	
				Non iodé	25 PPM	50 PPM	75 + PPM		Total
Wealth Index	Tres pauvre	6.5	91.3	36.5	29.4	25.6	8.5	63.5	788
Quintiles	Pauvre	5.7	92.1	32.3	33.0	25.3	9.4	67.7	892
	Modeste	5.3	93.1	33.0	33.0	27.1	7.0	67.0	810
	Riche	9.1	88.4	33.0	27.8	28.6	10.6	67.0	1008
	Tres riche	8.5	88.2	30.9	28.0	27.1	14.0	69.1	1049
	REGION	Lomé,	11.9	84.9	33.4	29.0	25.3	12.3	66.6
	Maritime	6.8	92.0	35.3	28.7	26.1	9.9	64.7	1339
	Plateaux	6.8	90.9	28.9	28.5	31.8	10.9	71.1	1072
	Centrale	5.7	90.1	20.4	40.7	36.6	2.3	79.6	372
	Kara	5.7	91.6	21.3	35.7	27.3	15.7	78.7	519
	Savanes	3.5	93.8	59.6	24.9	10.7	4.7	40.4	424
URBAIN/RURAL	Urbain	9.6	87.5	30.8	29.5	26.8	12.8	69.2	1784
	Rural	5.6	92.3	34.4	30.4	26.8	8.4	65.6	2763
Total		7.2	90.4	33.0	30.1	26.8	10.1	67.0	4548

World Summit for Children Goal => Number 14

Table 17: Percentage of households consuming adequately iodized salt, Togo, 2000

		Percent of households with no salt	Percent of households in which salt was tested	Result of test					Number of households interviewed
				Non iode	25 PPM	50 PPM	75 + PPM		Total
Wealth Index	Tres pauvre	3.5	94.9	38.0	28.6	25.1	8.3	62.0	4580
Quintiles	Pauvre	2.3	95.7	33.6	32.9	25.4	8.2	66.4	4612
	Modeste	2.9	95.6	30.4	34.0	28.9	6.6	69.6	4598
	Riche	4.9	93.2	34.1	25.2	29.7	11.0	65.9	4638
	Tres riche	3.8	94.3	32.3	25.8	28.5	13.4	67.7	4579
	REGION	Lomé	7.1	90.5	32.7	27.1	28.5	11.8	67.3
	Maritime	3.9	95.5	36.7	26.4	27.0	9.9	63.3	6312
	Plateaux	2.6	96.0	27.8	28.4	33.3	10.4	72.2	5496
	Centrale	1.9	94.9	20.6	40.2	36.5	2.8	79.4	2107
	Kara	2.9	94.8	21.8	35.8	27.4	15.0	78.2	2864
	Savanes	2.1	95.0	59.5	25.7	10.8	4.0	40.5	3024
URBAIN/RURAL	Urbain	4.8	93.6	32.2	27.5	28.3	12.1	67.8	7974
	Rural	2.8	95.4	34.5	30.3	27.1	8.1	65.5	15033
Total		3.5	94.7	33.7	29.3	27.5	9.5	66.3	23007

World Summit for Children Goal => Number 14

Table 18: Percent distribution of children aged 6-59 months by whether they received a high dose of Vitamin A supplement in the last 6 months, Togo, 2000

		Vitamin A					Total	
		Received: within last 6 months	Received: prior to last 6 months	Received: not sure when	Not sure if received	Not received	Total	Number of children
Wealth Index Quintiles	Tres pauvre	12.6	8.7	2.8	2.0	74.0	100.0	664
	Pauvre	14.9	10.3	3.8	4.1	66.9	100.0	604
	Modeste	19.2	7.1	2.6	1.9	69.2	100.0	601
	Riche	18.3	8.4	2.7	3.9	66.7	100.0	509
	Tres riche	17.5	10.7	4.9	4.4	62.5	100.0	390
SEXE	Masculin	17.2	10.0	3.5	3.5	65.7	100.0	1403
	Féminin	15.3	7.9	3.0	2.7	71.2	100.0	1364
Région	Lomé	10.6	12.8	4.6	5.5	66.5	100.0	278
	Maritime	14.0	4.4	.7	1.7	79.3	100.0	689
	Plateaux	12.2	7.8	3.7	5.4	70.9	100.0	711
	Centrale	8.5	7.5	4.2	3.0	76.8	100.0	249
	Kara	33.1	9.0	5.1	2.7	50.1	100.0	361
URBAIN/RURAL	Savanes	20.2	15.6	3.7	.8	59.7	100.0	478
	Urbain	16.6	9.2	3.8	4.1	66.2	100.0	760
Age	Rural	16.1	8.8	3.0	2.7	69.3	100.0	2006
	6-11 mois	18.7	3.6	2.3	.6	74.9	100.0	337
	12-23 mois	21.5	9.7	3.7	1.9	63.3	100.0	638
	24-35 mois	16.7	11.6	2.8	2.0	67.0	100.0	636
	36-47 mois	13.8	8.0	3.9	4.6	69.7	100.0	628
Mother's education level	48-59 mois	10.8	9.3	3.2	5.9	70.8	100.0	528
	Aucun niveau	14.3	7.3	3.2	3.3	71.8	100.0	1813
	primaire	18.4	11.4	3.4	1.5	65.2	100.0	731
	Secondaire + programme non formel	25.3	14.0	2.3	6.9	51.5	100.0	220
	Manquant/NSP	.0	.0	.0	.0	100.0	100.0	1
Total		16.3	8.9	3.3	3.1	68.4	100.0	2767

World Summit for Children Goal => Number 15

Table 19: Percentage of women with a birth in the last 12 months by whether they received a high dose of Vitamin A supplement before the infant was 8 weeks old, Togo, 2000

		Received Vitamin A supplement	Not sure if received	Number of women
Wealth Index Quintiles	Tres pauvre	18.4	1.4	154
	Pauvre	17.9	2.1	159
	Modeste	22.0	.8	158
	Riche	24.4	.0	141
	Tres riche	40.7	1.8	82
Région	Lomé	35.5	.0	73
	Maritime	21.9	2.9	178
	Plateaux	12.8	.0	158
	Centrale	19.4	1.0	58
	Kara	24.3	1.8	93
URBAIN/RURAL	Savanes	30.2	.7	134
	Urbain	34.0	.9	192
Niveau d'instruction de la femme	Rural	18.7	1.3	502
	Sans instruction	19.7	1.8	436
	Primaire	27.5	.3	210
	Secondaire & +	33.6	.0	47
	Programme non formel	.0	.0	1
Total		23.0	1.2	694

World Summit for Children Goal => Number 15

Table 20a. Birth weight and size at birth

		Birth weight			
		<2500	2500+	DK/Missing	Not weighted at birth
Wealth Index	Tres pauvre	3.7	13.5	6.5	76.4
Quintiles	Pauvre	2.5	20.3	9.7	67.5
	Modeste	4.1	25.8	11.6	58.5
	Riche	7.3	43.6	12.8	36.3
	Tres riche	8.7	67.2	12.4	11.6
Région	Lomé	11.3	67.7	14.5	6.5
	Maritime	4.5	24.8	6.3	64.4
	Plateaux	3.3	26.7	7.2	62.8
	Centrale	9.7	31.1	13.6	45.6
	Kara	5.6	39.7	24.3	30.5
	Savanes	.9	14.7	6.3	78.1
URBAIN/RURAL	Urbain	8.1	52.8	16.0	23.1
	Rural	3.6	21.7	8.2	66.5
Niveau d'instruction de la femme	Sans instruction	3.4	20.1	10.6	65.9
	Primaire	7.8	42.2	10.5	39.5
	Secondaire & +	5.1	70.5	8.2	16.2
	Programme non formel	.0	100.0	.0	.0
Total		4.8	30.3	10.4	54.5

Table 20a. Birth weight and size at birth

		Taille du dernier enfant						Total	Number
		Très gros/se	Plus gros/se que la moyenne	Moyen/ne	Plus petit/e que la moyenne	Très petit/e	NSP		
Wealth Index	Tres pauvre	10.5	24.1	43.0	13.2	9.2	.0	100.0	154
Quintiles	Pauvre	8.1	23.6	45.3	15.2	7.0	.8	100.0	159
	Modeste	10.5	25.1	45.5	12.6	5.8	.6	100.0	158
	Riche	10.1	34.7	46.6	4.3	3.1	1.3	100.0	141
	Tres riche	26.9	29.2	29.4	10.2	4.3	.0	100.0	82
Région	Lomé	21.0	24.2	35.5	11.3	8.1	.0	100.0	73
	Maritime	16.3	26.9	42.0	11.1	2.9	.7	100.0	178
	Plateaux	6.6	35.5	39.2	12.2	5.8	.7	100.0	158
	Centrale	7.8	33.0	50.5	7.8	1.0	.0	100.0	58
	Kara	14.7	23.0	51.0	8.4	1.0	1.8	100.0	93
	Savanes	6.7	18.5	45.1	14.2	15.5	.0	100.0	134
URBAIN/RURAL	Urbain	16.1	29.3	41.6	9.1	3.5	.4	100.0	192
	Rural	10.2	26.0	43.8	12.2	7.1	.7	100.0	502
Niveau d'instruction de la femme	Sans instruction	10.2	24.1	43.6	12.9	8.5	.7	100.0	436
	Primaire	13.2	29.5	45.4	10.1	1.4	.5	100.0	210
	Secondaire & +	18.6	42.6	31.0	2.7	5.1	.0	100.0	47
	Programme non formel	100.0	.0	.0	.0	.0	.0	100.0	1
Total		11.8	26.9	43.2	11.3	6.1	.6	100.0	694

Table 21 Percentage of children 12-23 months immunized against childhood diseases at any time before the survey, Country, Year

BCG	Carte de Vaccination	60.4
	Déclaration de la mère	21.0
	Pas vacciné	18.6
DPT1	Carte de Vaccination	62.3
	Déclaration de la mère	19.1
	Pas vacciné	18.6
DPT2	Carte de Vaccination	56.7
	Déclaration de la mère	14.1
	Pas vacciné	29.2
DPT3	Carte de Vaccination	49.8
	Déclaration de la mère	6.8
	Pas vacciné	43.4
Polio 0	Carte de Vaccination	58.9
	Déclaration de la mère	12.7
	Pas vacciné	28.4
Polio 1	Carte de Vaccination	61.4
	Déclaration de la mère	25.6
	Pas vacciné	12.9
Polio 2	Carte de Vaccination	55.9
	Déclaration de la mère	18.6
	Pas vacciné	25.4
Polio 3	Carte de Vaccination	49.3
	Déclaration de la mère	7.9
	Pas vacciné	42.8
Measles	Carte de Vaccination	44.0
	Déclaration de la mère	12.7
	Pas vacciné	43.3
Toutes les vaccinations	Carte de Vaccination	37.1
	Déclaration de la mère	3.7
	N'a pas eu tous les vaccins	59.2
Pas de vaccinations	Carte de Vaccination	.1
	Déclaration de la mère	7.9
	A fait quelques vaccinations	92.0
Number of children		637.6

World Summit for Children Goal => Number 22

Table 21 Percentage of children 12-23 months immunized against childhood diseases before the first birthday, for children who had a complete date on their vaccination card, Country, Year

BCG	98.4
DPT 1	97.2
DPT 2	97.0
DPT 3	94.5
Polio 0	98.1
Polio 1	96.9
Polio 2	97.1
Polio 3	95.2
Measles	82.2
All vaccinations	73.8
No vaccinations	.0

World Summit for Children Goal => Number 22

Table 21 Percentage of children 12-23 months immunized against childhood diseases at any time before the survey and before the first birthday, Togo, 2000

	BCG	DPT 1	DPT 2	DPT 3	Polio 0	Polio 1	Polio 2	Polio 3	Measles	All	None	Number of children
Vaccination card	60.4	62.3	56.7	49.8	58.9	61.4	55.9	49.3	44.0	37.1	.1	637.6
Mother's report	21.0	19.1	14.1	6.8	12.7	25.6	18.6	7.9	12.7	3.7	7.9	637.6
Either	81.4	81.4	70.8	56.6	71.6	87.1	74.6	57.2	56.7	40.8	8.0	637.6
Vaccinated by 12 months of age	80.1	79.1	68.7	53.5	70.3	84.4	72.4	54.5	46.6	30.1	8.0	637.6

World Summit for Children Goal => Number 22

Table 22: Percentage of children age 12-23 months currently vaccinated against childhood diseases, Togo, 2000

		BCG	DPT 1	DPT 2	DPT 3	Polio 0	Polio 1	Polio 2	Polio 3	Measles	All	None
Wealth Index Quintiles	Tres pauvre	67.4	69.6	57.1	41.2	49.2	79.4	65.0	42.4	43.1	24.1	15.5
	Pauvre	84.3	78.9	70.4	55.4	71.5	82.7	71.7	52.8	55.9	40.0	8.6
	Modeste	82.9	83.5	71.3	57.5	74.2	85.5	72.7	59.1	52.2	39.5	9.8
	Riche	79.7	85.6	71.3	57.2	78.8	95.2	79.6	61.8	57.7	41.4	1.9
	Tres riche	96.3	92.7	88.2	76.3	90.5	96.3	88.0	74.3	80.8	65.0	1.2
SEXE	Masculin	82.5	83.3	71.9	57.4	72.0	87.1	75.9	58.8	57.7	40.2	8.4
	Féminin	80.3	79.4	69.7	55.7	71.2	87.0	73.1	55.5	55.6	41.4	7.6
Région	Lomé	96.7	95.1	86.9	73.8	91.8	95.1	82.0	75.4	78.7	62.3	1.6
	Maritime	74.9	78.1	59.3	49.9	66.5	87.0	70.5	49.9	49.7	34.3	9.0
	Plateaux	77.6	78.3	68.7	52.2	62.8	86.2	70.9	54.5	45.9	32.5	9.3
	Centrale	92.5	86.0	81.7	68.8	73.1	86.0	81.7	64.5	67.8	46.3	4.3
	Kara	78.2	79.6	70.1	52.1	71.7	88.3	76.7	55.1	59.7	38.6	8.8
URBAIN/RURAL	Savanes	81.4	79.6	72.3	56.7	75.8	82.4	74.5	55.5	57.6	44.9	10.8
	Urbain	93.8	93.7	82.3	69.2	87.6	94.6	81.8	70.0	68.8	55.3	2.2
Mother's education level	Rural	76.2	76.3	66.0	51.3	64.9	83.9	71.5	51.8	51.6	34.8	10.5
	Aucun niveau	76.7	76.7	65.4	49.0	65.7	82.6	69.4	49.3	54.2	34.1	11.4
	primaire	86.2	86.3	73.8	63.2	76.4	93.2	78.1	62.4	53.6	44.0	2.6
	Secondaire +	98.0	98.0	98.0	87.6	96.0	98.0	98.0	94.0	82.4	76.3	2.0
Total		81.4	81.4	70.8	56.6	71.6	87.1	74.6	57.2	56.7	40.8	8.0

Table 22: Percentage of children age 12-23 months currently vaccinated against childhood diseases, Togo, 2000

		% with health card	Number of children
Wealth Index Quintiles	Tres pauvre	52.1	145
	Pauvre	66.7	121
	Modeste	68.1	153
	Riche	67.0	107
	Tres riche	76.7	111
SEXE	Masculin	64.5	326
	Féminin	66.6	312
Région	Lomé	78.7	78
	Maritime	63.1	142
	Plateaux	61.3	159
	Centrale	64.6	58
	Kara	59.1	88
	Savanes	70.8	113
URBAIN/RURAL	Urbain	77.4	188
	Rural	60.5	450
Mother's education level	Aucun niveau	59.8	397
	primaire	69.1	181
	Secondaire +	92.7	60
Total		65.5	638

Table 23: Percentage of under-five children with diarrhea in the last two weeks and treatment with ORS or ORT, Togo, 2000

		Statut au sujet de la diarrhée	Number of children under 5	Breast milk	Gruel	Local acceptable	ORS packet	Other milk or infant formula	Water with feeding
Wealth Index Quintiles	Tres pauvre	25.5	746	53.6	32.1	23.0	10.4	5.1	67.7
	Pauvre	25.4	684	48.8	38.9	19.6	11.8	3.5	67.5
	Modeste	24.5	678	46.4	29.6	14.6	12.9	3.8	65.4
	Riche	19.1	591	48.8	30.8	9.5	17.4	8.2	66.8
	Tres riche	14.0	430	59.2	31.8	17.4	16.1	7.0	53.9
SEXE	Masculin	24.5	1574	50.0	33.4	16.7	13.2	6.3	71.1
	Féminin	20.4	1555	50.9	32.5	18.5	12.7	3.5	59.3
Région	Lomé	16.9	317	50.0	45.2	14.3	9.5	16.7	50.0
	Maritime	18.4	788	42.4	30.7	11.1	15.0	1.0	58.2
	Plateaux	19.3	797	49.0	38.9	9.2	9.4	2.3	78.5
	Centrale	26.4	281	40.0	52.5	25.8	12.5	1.7	57.5
	Kara	23.8	404	62.2	32.4	10.0	9.5	2.6	61.4
URBAIN/RURAL	Savanes	33.3	541	56.1	18.4	31.2	17.3	9.9	71.5
	Urbain	17.9	852	53.7	31.1	12.8	15.1	8.2	62.4
	Rural	24.2	2277	49.5	33.5	18.8	12.3	4.2	66.7
Age	< 6 mois	14.3	359	94.1	35.8	11.0	21.5	1.3	36.3
	6-11 mois	32.2	337	85.9	29.2	16.2	7.7	5.4	49.8
	12-23 mois	33.1	638	81.7	33.6	16.9	15.0	6.3	64.7
	24-35 mois	22.0	636	24.6	39.3	16.6	11.2	3.5	76.4
	36-47 mois	16.2	628	4.8	33.6	21.5	10.9	7.9	76.3
Mother's education level	48-59 mois	16.9	528	.0	24.2	21.4	14.7	2.9	77.1
	Aucun niveau	24.6	2032	49.5	29.2	19.1	12.3	5.8	65.7
	primaire	19.8	850	52.6	41.9	11.0	13.0	2.5	71.1
	Secondaire + programme non formel	14.5	244	52.1	43.2	26.5	21.1	6.9	42.2
	Manquant/NSP	.0	1
Total		22.5	3129	50.4	33.0	17.5	12.9	5.0	65.8

World Summit for Children Goal => Number 23

Table 23: Percentage of under-five children with diarrhea in the last two weeks and treatment with ORS or ORT, Togo, 2000

		Any recommended treatment	No treatment	Number of children with diarrhea
				1.00
Wealth Index Quintiles	Tres pauvre	95.6	4.4	190
	Pauvre	96.3	3.7	174
	Modeste	94.6	5.4	166
	Riche	95.9	4.1	113
	Tres riche	93.8	6.2	60
SEXE	Masculin	96.7	3.3	386
	Féminin	93.9	6.1	317
Région	Lomé	92.9	7.1	54
	Maritime	94.9	5.1	145
	Plateaux	96.2	3.8	154
	Centrale	96.7	3.3	74
	Kara	96.2	3.8	96
	Savanes	95.1	4.9	180
	URBAIN/RURAL	Urbain	93.9	6.1
	Rural	95.9	4.1	551
Age	< 6 mois	96.8	3.2	51
	6-11 mois	96.7	3.3	109
	12-23 mois	96.2	3.8	211
	24-35 mois	96.6	3.4	140
	36-47 mois	94.9	5.1	102
	48-59 mois	90.1	9.9	89
Mother's education level	Aucun niveau	94.7	5.3	499
	primaire	98.3	1.7	168
	Secondaire + programme non formel	92.4	7.6	35
	Manquant/NSP	.	.	0
Total	95.4	4.6	703	

World Summit for Children Goal => Number 23

Table 24: Percentage of under-five children with diarrhea in the last two weeks who took increased fluids and continued to feed during the episode, Togo, 2000

		Statut au sujet de la diarrhée	Number of children under 5	Drinking during diarrhea			Total	Eating during diarrhea		
				More	Same/Less	Missing/DK		somewhat less/same/more	Much less/none	Missing/DK
Wealth Index	Tres pauvre	25.5	746	26.3	72.2	1.5	100.0	59.0	40.2	.9
Quintiles	Pauvre	25.4	684	35.4	61.0	3.5	100.0	58.2	40.0	1.9
	Modeste	24.5	678	25.6	70.9	3.5	100.0	63.5	36.5	.0
	Riche	19.1	591	29.9	67.7	2.3	100.0	64.0	34.7	1.3
	Tres riche	14.0	430	32.0	63.1	4.9	100.0	62.9	37.1	.0
SEXE	Masculin	24.5	1574	30.1	67.9	2.0	100.0	63.4	35.7	.9
	Féminin	20.4	1555	28.7	67.3	4.0	100.0	58.1	41.1	.9
Région	Lomé	16.9	317	35.7	57.1	7.1	100.0	71.4	28.6	.0
	Maritime	18.4	788	38.7	55.3	6.1	100.0	43.9	54.1	2.0
	Plateaux	19.3	797	24.0	75.3	.8	100.0	69.9	29.3	.8
	Centrale	26.4	281	29.2	68.3	2.5	100.0	68.3	31.7	.0
	Kara	23.8	404	9.1	89.9	1.0	100.0	79.7	19.3	1.0
	Savanes	33.3	541	35.9	62.0	2.1	100.0	51.0	48.2	.7
URBAIN/RURAL	Urbain	17.9	852	31.2	63.5	5.4	100.0	64.5	35.5	.0
	Rural	24.2	2277	29.0	68.8	2.2	100.0	60.0	38.8	1.1
Age	< 6 mois	14.3	359	10.9	87.8	1.3	100.0	53.1	45.6	1.3
	6-11 mois	32.2	337	18.3	81.1	.6	100.0	52.7	47.3	.0
	12-23 mois	33.1	638	34.3	63.4	2.3	100.0	58.3	40.5	1.1
	24-35 mois	22.0	636	35.7	61.8	2.5	100.0	72.8	26.2	1.0
	36-47 mois	16.2	628	31.0	65.4	3.6	100.0	65.3	32.9	1.8
	48-59 mois	16.9	528	31.2	60.9	7.9	100.0	58.0	42.0	.0
Mother's education level	Aucun niveau	24.6	2032	30.4	66.7	2.9	100.0	58.3	40.4	1.3
	primaire	19.8	850	27.5	70.7	1.7	100.0	68.8	31.2	.0
	Secondaire + programme non formel	14.5	244	24.7	66.4	9.0	100.0	61.3	38.7	.0
	Manquant/NSP	.0	1	.0	.0	.0	.0	.0	.0	.0
Total		22.5	3129	29.5	67.6	2.9	100.0	61.0	38.1	.9

World Summit for Children Goal => Number 23

Table 24: Percentage of under-five children with diarrhea in the last two weeks who took increased fluids and continued to feed during the episode, Togo, 2000

			Received increased fluids and continued eating	Number of children with diarrhea
		Total		1.00
Wealth Index Quintiles	Tres pauvre	100.0	10.7	190
	Pauvre	100.0	20.6	174
	Modeste	100.0	14.8	166
	Riche	100.0	11.9	113
	Tres riche	100.0	18.4	60
SEXE	Masculin	100.0	14.9	386
	Féminin	100.0	15.0	317
Région	Lomé	100.0	21.4	54
	Maritime	100.0	14.8	145
	Plateaux	100.0	16.3	154
	Centrale	100.0	19.2	74
	Kara	100.0	7.3	96
URBAIN/RURAL	Savanes	100.0	14.4	180
	Urbain	100.0	18.2	152
	Rural	100.0	14.1	551
Age	< 6 mois	100.0	5.8	51
	6-11 mois	100.0	7.1	109
	12-23 mois	100.0	17.1	211
	24-35 mois	100.0	23.9	140
	36-47 mois	100.0	12.9	102
	48-59 mois	100.0	13.4	89
Mother's education level	Aucun niveau	100.0	14.1	499
	primaire	100.0	16.7	168
	Secondaire + programme non formel	100.0	18.8	35
	Manquant/NSP	.0	.	0
Total		100.0	15.0	703

World Summit for Children Goal => Number 23

Table 25: Percentage of under-five children with acute respiratory infection in the last two weeks and treatment by health providers, Togo, 2000

		Infection respiratoire	Number of children under 5	Hospital	Health centre	Dispensary	Village health worker	MCH clinic	Private physician
Wealth Index Quintiles	Tres pauvre	11.4	746	2.9	2.9	15.8	4.4	.8	.0
	Pauvre	9.1	684	.0	2.1	17.7	1.1	5.3	1.9
	Modeste	10.3	678	2.5	10.1	14.2	1.7	.9	1.7
	Riche	5.6	591	25.3	9.3	12.7	.0	.0	3.8
	Tres riche	3.8	430	19.4	19.3	.0	.0	.0	.0
SEXE	Masculin	8.3	1574	4.8	8.8	16.4	4.3	3.0	1.8
	Féminin	8.7	1555	7.0	4.1	12.6	.0	.5	.9
Région	Lomé	2.8	317	14.3	14.3	.0	.0	.0	14.3
	Maritime	9.0	788	6.4	2.0	13.9	4.4	.0	.0
	Plateaux	8.1	797	7.6	11.2	9.1	1.8	.0	3.6
	Centrale	4.2	281	15.8	21.2	10.5	.0	.0	.0
	Kara	7.9	404	8.0	6.1	12.2	.0	.0	.0
URBAIN/RURAL	Savanes	14.4	541	.8	3.4	22.8	1.7	5.9	.0
	Urbain	4.0	852	30.4	22.1	.0	9.2	.0	3.7
Age	Rural	10.2	2277	2.3	4.1	16.6	1.1	2.0	1.0
	< 6 mois	9.4	359	.0	3.5	13.2	.0	1.9	.0
	6-11 mois	13.2	337	7.0	1.4	23.7	.0	2.9	2.6
	12-23 mois	7.9	638	1.6	3.7	14.1	6.2	1.3	.0
	24-35 mois	7.7	636	8.7	9.7	17.5	3.7	4.0	2.4
	36-47 mois	7.2	628	7.1	13.5	6.9	1.4	.0	2.8
Mother's education level	48-59 mois	8.2	528	10.0	5.8	10.9	.0	.0	.0
	Aucun niveau primaire	10.0	2032	4.3	6.2	16.4	.6	2.2	.6
	Secondaire + programme non formel	4.9	850	12.1	4.4	8.1	10.4	.0	2.9
	Manquant/NSP	8.5	244	9.9	12.1	8.8	.0	.0	5.7
		.0	1
Total		8.5	3129	5.9	6.4	14.5	2.1	1.7	1.4

World Summit for Children Goal => Number 24

Table 25: Percentage of under-five children with acute respiratory infection in the last two weeks and treatment by health providers, Togo, 2000

		Traditional healer	Other	Any appropriate provider	Number of children with ARI
					1.00
Wealth Index Quintiles	Tres pauvre	1.5	16.6	25.3	85
	Pauvre	1.6	16.5	23.8	62
	Modeste	6.1	16.4	29.5	70
	Riche	.0	9.9	47.3	33
	Tres riche	.0	16.6	38.8	16
SEXE	Masculin	2.7	17.0	35.3	130
	Féminin	2.2	14.4	24.2	136
Région	Lomé	.0	14.3	28.6	9
	Maritime	6.0	14.3	26.6	71
	Plateaux	.0	15.6	31.6	65
	Centrale	.0	5.2	47.5	12
	Kara	3.0	12.2	26.2	32
	Savanes	1.7	20.2	29.5	78
	URBAIN/RURAL	Urbain	.0	18.4	61.7
	Rural	2.8	15.3	24.9	232
Age	< 6 mois	.0	16.3	18.6	34
	6-11 mois	6.8	8.7	37.7	45
	12-23 mois	.0	27.5	26.9	50
	24-35 mois	2.9	17.8	38.4	49
	36-47 mois	4.6	6.9	26.1	45
	48-59 mois	.0	15.6	26.7	44
Mother's education level	Aucun niveau	2.7	13.9	27.8	204
	primaire	2.3	30.2	34.9	41
	Secondaire + programme non formel	.0	4.7	36.5	21
	Manquant/NSP	.	.	.	0
Total		2.4	15.7	29.6	266

World Summit for Children Goal => Number 24

Table 26: Percentage of children 0-59 months of age reported ill during the last two weeks who received increased fluids and continued feeding, Togo, 2000

		Reported illness in last two weeks	Number of children under 5	Drinking during illness			Total	Eating during illness		
				More	Same/Less	Missing/DK		somewhat less/same/more	Much less/none	Missing/DK
Wealth Index	Tres pauvre	60.0	746	26.3	72.8	.9	100.0	62.6	36.8	.6
Quintiles	Pauvre	59.1	684	28.9	69.6	1.5	100.0	65.5	33.1	1.4
	Modeste	59.2	678	20.3	78.3	1.4	100.0	64.1	35.9	.0
	Riche	57.0	591	26.4	72.5	1.1	100.0	65.6	33.9	.4
	Tres riche	49.4	430	21.6	76.1	2.3	100.0	71.8	28.2	.0
	SEXE	Masculin	57.6	1574	26.0	73.0	1.0	100.0	65.1	34.4
SEXE	Féminin	57.6	1555	24.0	74.3	1.8	100.0	65.4	34.0	.6
	Région	Lomé	317	23.7	73.3	3.1	100.0	74.8	25.2	.0
Région	Maritime	62.6	788	28.2	70.0	1.8	100.0	53.4	45.8	.9
	Plateaux	58.1	797	25.0	74.2	.8	100.0	73.2	26.3	.5
	Centrale	54.6	281	24.6	73.8	1.6	100.0	70.9	29.1	.0
	Kara	54.5	404	9.0	90.6	.4	100.0	75.8	23.3	.9
	Savanes	56.3	541	32.3	66.5	1.3	100.0	56.5	43.1	.4
URBAIN/RURAL	Urbain	53.2	852	21.4	76.3	2.2	100.0	68.6	31.4	.0
	Rural	59.2	2277	26.2	72.7	1.1	100.0	64.1	35.2	.7
Age	< 6 mois	46.7	359	8.4	90.5	1.1	100.0	54.3	43.2	2.5
	6-11 mois	70.0	337	13.7	86.1	.3	100.0	55.8	44.2	.0
	12-23 mois	64.8	638	29.2	69.7	1.2	100.0	63.2	36.2	.6
	24-35 mois	59.0	636	30.4	68.7	.9	100.0	71.4	28.2	.4
	36-47 mois	51.1	628	26.3	72.0	1.7	100.0	70.4	29.1	.6
	48-59 mois	54.2	528	29.8	67.3	2.9	100.0	68.3	31.7	.0
Mother's education level	Aucun niveau	57.5	2032	25.6	73.1	1.4	100.0	62.4	36.7	.8
	primaire	60.8	850	24.1	74.9	1.0	100.0	71.3	28.7	.0
	Secondaire + programme non formel	47.7	244	23.3	74.0	2.7	100.0	66.3	33.7	.0
	Manquant/NSP	.0	1	.0	.0	.0	.0	.0	.0	.0
Total		57.6	3129	25.0	73.6	1.4	100.0	65.2	34.2	.5

Monitoring IMCI and Malaria Indicator

Table 26: Percentage of children 0-59 months of age reported ill during the last two weeks who received increased fluids and continued feeding, Togo, 2000

		Total	Received increased fluids and continued eating	Number of sick children
				1.00
Wealth Index	Tres pauvre	100.0	11.8	447
Quintiles	Pauvre	100.0	15.8	404
	Modeste	100.0	10.9	401
	Riche	100.0	13.8	337
	Tres riche	100.0	13.7	212
SEXE	Masculin	100.0	12.7	906
	Féminin	100.0	13.5	896
Région	Lomé	100.0	13.0	167
	Maritime	100.0	11.9	494
	Plateaux	100.0	15.9	463
	Centrale	100.0	16.5	154
	Kara	100.0	6.1	220
	Savanes	100.0	14.1	305
URBAIN/RURAL	Urbain	100.0	12.4	454
	Rural	100.0	13.3	1349
Age	< 6 mois	100.0	5.2	168
	6-11 mois	100.0	5.8	236
	12-23 mois	100.0	15.7	413
	24-35 mois	100.0	17.4	375
	36-47 mois	100.0	13.1	321
	48-59 mois	100.0	14.5	286
Mother's education level	Aucun niveau	100.0	11.6	1169
	primaire	100.0	16.0	517
	Secondaire +	100.0	15.0	117
	programme non formel	.0	.	0
	Manquant/NSP	.0	.	0
Total		100.0	13.1	1802

Monitoring IMCI and Malaria Indicator

Table 27: Percentage of caretakers of children 0-59 months who know at least 2 signs for seeking care immediately, Togo, 2000

		Not able to drink/breast feed	Becomes sicker	Develops a fever	Has fast breathing	Has difficult breathing	Has blood in stool	Is drinking poorly	Knows at least two signs	Number of caretakers
Wealth Index Quintiles	Tres pauvre	8.8	37.2	81.8	9.5	16.2	49.1	7.1	65.5	588
	Pauvre	9.0	37.0	81.6	9.6	16.8	44.2	6.5	64.3	554
	Modeste	6.1	34.8	78.2	4.8	12.7	36.5	4.1	59.0	537
	Riche	7.4	36.3	79.8	6.2	13.8	36.8	4.8	60.3	421
	Tres riche	6.1	30.6	82.2	6.7	15.8	41.8	7.1	62.6	297
Région	Lomé	6.4	28.6	78.8	4.4	16.3	35.5	5.4	56.7	203
	Maritime	2.6	54.2	81.1	7.9	18.4	39.2	3.4	69.2	380
	Plateaux	8.3	31.6	72.0	4.3	8.5	19.7	3.9	43.8	493
	Centrale	11.4	28.3	78.6	4.4	13.6	30.8	2.2	53.3	360
	Kara	4.6	22.0	85.5	4.3	13.6	35.9	8.1	60.0	345
URBAIN/RURAL	Savanes	10.2	41.7	86.4	14.6	19.5	74.0	10.1	82.0	616
	Urbain	6.4	32.1	80.8	7.6	17.4	44.7	5.8	63.7	582
Mother's education level	Rural	8.1	36.8	80.6	7.5	14.3	41.3	5.9	62.1	1815
	Aucun niveau	8.2	38.3	81.8	8.8	16.0	45.9	6.6	65.9	1618
	primaire	6.3	31.5	77.6	5.1	12.2	31.5	4.0	53.0	606
	Secondaire + programme non formel	7.6	25.7	80.7	4.1	16.4	43.9	5.8	63.2	171
	Manquant/NSP	.0	100.0	100.0	.0	.0	100.0	.0	100.0	1
Total		7.7	35.7	80.6	7.6	15.1	42.1	5.9	62.5	2397

Monitoring IMCI and Malaria Indicator

Table 28: Percentage of children 0-59 months of age who slept under an insecticide-impregnated bednet during the previous night, Togo, 2000

		Slept under a bednet			Bednet treated			Number of children
		Yes	No	DK/missing	Yes	No	DK/missing	
Wealth Index Quintiles	Tres pauvre	11.3	88.6	.2	.9	98.9	.2	746
	Pauvre	11.8	87.9	.3	.3	99.7	.0	684
	Modeste	13.1	86.9	.0	1.3	98.7	.0	678
	Riche	16.1	83.9	.0	2.4	97.6	.0	591
	Tres riche	26.2	73.5	.3	7.0	93.0	.0	430
SEXE	Masculin	15.4	84.6	.1	2.3	97.7	.0	1574
	Féminin	14.1	85.6	.2	1.6	98.3	.1	1555
Région	Lomé	28.1	71.5	.4	4.4	95.6	.0	317
	Maritime	17.2	82.8	.0	1.3	98.7	.0	788
	Plateaux	20.6	78.9	.4	2.4	97.5	.1	797
	Centrale	6.2	93.8	.0	.0	100.0	.0	281
	Kara	7.0	93.0	.0	3.5	96.5	.0	404
URBAIN/RURAL	Savanes	5.0	95.0	.0	.9	99.1	.0	541
	Urbain	18.5	81.3	.1	3.6	96.4	.0	852
	Rural	13.3	86.5	.2	1.4	98.6	.1	2277
Age	< 6 mois	19.8	79.9	.3	1.3	98.7	.0	359
	6-11 mois	11.2	88.8	.0	1.4	98.6	.0	337
	12-23 mois	17.0	82.8	.2	2.6	97.4	.0	638
	24-35 mois	13.0	86.8	.2	1.4	98.6	.0	636
	36-47 mois	14.2	85.8	.0	1.3	98.6	.2	628
	48-59 mois	13.6	86.2	.2	3.7	96.3	.0	528
Total		14.8	85.1	.2	2.0	98.0	.0	3126

Monitoring IMCI and Malaria Indicator

Table 29: Percentage of children 0-59 months of age who were ill with fever in the last two weeks who received anti-malarial drugs, Togo, 2000

		Etat palustre des 2 semaines	Number of children under 5	Paracetamol	Chloroquine	Fansidar	Other	Don't know	Any appropriate anti-malarial drug	Number of children with fever 1.00
Wealth Index Quintiles	Tres pauvre	41.2	746	56.3	56.6	2.6	37.1	2.0	56.8	307
	Pauvre	37.9	684	66.3	57.5	2.0	40.0	2.5	58.1	259
	Modeste	39.1	678	67.6	60.3	3.1	40.5	3.0	61.3	265
	Riche	35.6	591	71.5	59.9	3.5	33.2	1.6	61.2	211
	Tres riche	20.9	430	65.9	68.5	10.9	47.5	2.2	70.0	90
SEXE	Masculin	35.9	1574	67.1	59.9	2.8	39.2	2.0	60.2	566
	Féminin	36.4	1555	62.6	58.5	4.0	38.1	2.5	59.8	566
Région	Lomé	20.1	317	60.0	56.0	4.0	40.0	.0	58.0	64
	Maritime	42.2	788	68.9	54.3	4.9	39.2	1.7	55.5	332
	Plateaux	38.3	797	61.4	56.3	1.9	43.8	2.7	56.3	305
	Centrale	35.7	281	61.8	65.5	3.7	37.0	4.9	66.1	100
	Kara	28.3	404	64.0	70.6	3.1	25.7	4.1	70.6	114
	Savanes	39.8	541	66.7	63.0	3.0	37.8	1.0	64.2	216
	URBAIN/RURAL	Urbain	28.8	852	66.5	61.4	4.5	36.1	.6	62.2
	Rural	38.9	2277	64.4	58.6	3.1	39.4	2.7	59.4	886
Age	< 6 mois	25.3	359	55.3	53.9	3.0	33.8	4.4	55.4	91
	6-11 mois	43.2	337	67.9	58.5	4.1	33.3	2.2	60.4	146
	12-23 mois	41.1	638	66.8	61.5	5.0	39.6	2.7	62.2	262
	24-35 mois	38.7	636	68.0	61.3	1.3	42.2	1.7	61.8	246
	36-47 mois	33.1	628	57.4	58.8	4.8	43.7	1.1	59.5	208
	48-59 mois	33.7	528	68.5	57.2	1.9	33.1	2.7	57.2	178
Mother's education level	Aucun niveau	37.7	2032	65.2	59.2	2.7	36.1	2.4	59.9	765
	primaire	34.8	850	61.5	56.8	5.7	44.2	2.4	57.9	295
	Secondaire + programme non formel	28.9	244	74.6	69.5	1.1	42.8	.0	69.5	71
	Manquant/NSP	.0	1	0
Total		36.2	3129	64.9	59.2	3.4	38.7	2.3	60.0	1131

Monitoring IMCI and Malaria Indicator

Table 30: Percentage of women aged 15-49 who know the main ways of preventing HIV transmission, Togo, 2000

		Connaissance Sida	Have only one faithful uninfected sex partner	Using a condom every time	Knows both (two) ways	Knows at least one way	Doesn't know any way	Number of women
								1.00
Wealth Index Quintiles	Tres pauvre	91.7	67.0	48.2	46.7	68.5	31.5	778
	Pauvre	93.6	68.3	52.0	49.8	70.5	29.5	827
	Modeste	96.4	70.7	53.9	50.0	74.6	25.4	854
	Riche	97.8	77.1	61.5	57.4	81.2	18.8	1011
	Tres riche	98.9	74.6	63.8	58.8	79.5	20.5	1203
Région	Lomé	98.8	69.2	58.1	52.6	74.7	25.3	884
	Maritime	98.7	80.8	62.2	59.2	83.8	16.2	1284
	Plateaux	98.1	72.4	59.4	55.3	76.6	23.4	1081
	Centrale	92.8	62.7	43.8	40.7	65.8	34.2	400
	Kara	92.3	66.3	49.6	45.8	70.1	29.9	506
URBAIN/RURAL	Savanes	86.8	67.4	52.8	52.7	67.5	32.5	519
	Urbain	98.2	76.4	62.7	58.0	81.1	18.9	1944
Groupe d'Age	Rural	94.6	69.0	52.6	49.9	71.6	28.4	2730
	15-19 ans	95.4	73.2	62.8	58.1	77.9	22.1	927
	20-24 ans	97.4	74.3	63.8	58.5	79.6	20.4	869
	25-29 ans	97.2	74.0	60.1	57.0	77.1	22.9	883
	30-34 ans	96.4	66.9	50.2	48.0	69.1	30.9	681
	35-39 ans	94.7	71.6	49.7	47.9	73.4	26.6	624
	40-44 ans	94.1	70.6	45.3	43.2	72.7	27.3	446
Niveau d'instruction de la femme	45-49 ans	96.1	70.8	54.7	50.0	75.5	24.5	245
	Sans instruction	93.3	66.3	47.0	45.1	68.1	31.9	2358
	Primaire	98.3	75.2	64.0	59.3	80.0	20.0	1473
	Secondaire & +	99.8	82.7	72.0	66.0	88.7	11.3	827
	Programme non formel	100.0	87.5	48.2	48.2	87.5	12.5	15
	Non Déclaré, NSP	100.0	51.1	51.1	51.1	51.1	48.9	2
Total		96.1	72.1	56.8	53.3	75.6	24.4	4674

Monitoring HIV/AIDS Indicator

Table 30a: Percentage of women aged 15-19 who know the main ways of preventing HIV transmission, Togo, 2000

		Connaissance Sida	Have only one faithful uninfected sex partner	Using a condom every time	Abstaining from sex	Knows all three ways	Knows at least one way	Doesn't know any way	Number of women 1.00
Wealth Index Quintiles	Tres pauvre	91.9	68.4	60.8	53.7	44.6	72.9	27.1	123
	Pauvre	91.8	68.4	55.9	54.3	43.1	72.0	28.0	141
	Modeste	92.9	73.6	56.9	55.3	42.2	78.1	21.9	163
	Riche	97.2	77.9	68.2	56.1	47.1	83.8	16.2	230
	Tres riche	98.7	73.7	66.2	54.6	43.1	83.8	16.2	270
Région	Lomé	97.2	71.1	62.7	50.7	39.4	79.6	20.4	168
	Maritime	98.7	80.8	69.2	50.8	42.2	90.0	10.0	285
	Plateaux	98.5	75.6	65.3	63.6	51.1	79.6	20.4	232
	Centrale	86.5	61.1	49.2	47.6	34.9	65.1	34.9	71
	Kara	93.4	72.2	61.3	60.1	47.6	78.5	21.5	90
URBAIN/RURAL	Savanes	80.7	55.4	46.9	54.2	44.9	56.2	43.8	80
	Urbain	96.9	76.5	68.3	55.8	45.8	84.9	15.1	436
Rural	Rural	94.0	70.3	57.9	54.2	42.6	74.8	25.2	491
	Groupe d'Age	15-19 ans	95.4	73.2	62.8	55.0	44.1	79.5	20.5
Niveau d'instruction de la femme	Sans instruction	89.2	59.8	46.0	47.1	34.8	63.8	36.2	258
	Primaire	96.5	72.9	62.6	57.3	46.2	79.3	20.7	417
	Secondaire & +	99.9	87.3	80.2	58.8	49.9	96.1	3.9	251
	Programme non formel	100.0	100.0	100.0	100.0	100.0	100.0	.0	2
Total		95.4	73.2	62.8	55.0	44.1	79.5	20.5	927

Monitoring HIV/AIDS Indicator

Table 31: Percentage of women aged 15-49 who correctly identify misconceptions about HIV/AIDS, Togo, 2000

		Connaissance Sida	AIDS can't be transmitted by supernatural means	AIDS can't be transmitted by mosquito bites	A healthy looking person can be infected	Knows all three misconceptions	Knows at least one misconception	Doesn't correctly identify any misconception	Number of women 1.00
Wealth Index Quintiles	Tres pauvre	91.7	43.4	32.6	49.5	14.9	68.9	31.1	778
	Pauvre	93.6	46.0	37.0	54.7	18.2	74.0	26.0	827
	Modeste	96.4	49.0	34.4	64.4	17.2	80.9	19.1	854
	Riche	97.8	49.7	39.1	67.2	19.8	84.4	15.6	1011
	Tres riche	98.9	53.8	58.9	80.5	33.6	92.0	8.0	1203
Région	Lomé	98.8	47.3	52.6	79.5	27.3	90.1	9.9	884
	Maritime	98.7	55.3	47.3	67.4	25.9	86.4	13.6	1284
	Plateaux	98.1	44.2	31.9	64.5	13.3	81.1	18.9	1081
	Centrale	92.8	44.8	35.5	60.3	20.4	75.8	24.2	400
	Kara	92.3	51.0	41.0	47.7	20.4	69.8	30.2	506
URBAIN/RURAL	Savanes	86.8	46.6	36.4	55.5	22.4	69.4	30.6	519
	Urbain	98.2	53.9	53.4	75.5	29.6	89.6	10.4	1944
	Rural	94.6	45.4	33.6	57.4	16.2	75.4	24.6	2730
Groupe d'Age	15-19 ans	95.4	52.6	49.8	64.8	26.8	82.6	17.4	927
	20-24 ans	97.4	53.8	45.4	70.0	26.8	84.7	15.3	869
	25-29 ans	97.2	48.7	42.0	67.1	21.5	83.4	16.6	883
	30-34 ans	96.4	43.1	35.4	63.6	17.3	77.1	22.9	681
	35-39 ans	94.7	45.2	35.7	61.5	17.0	78.3	21.7	624
	40-44 ans	94.1	46.9	41.3	58.9	18.8	79.1	20.9	446
	45-49 ans	96.1	47.7	33.2	62.9	16.4	79.9	20.1	245
Niveau d'instruction de la femme	Sans instruction	93.3	44.3	30.8	55.2	14.8	72.7	27.3	2358
	Primaire	98.3	49.2	42.3	69.5	20.4	86.4	13.6	1473
	Secondaire & +	99.8	61.1	72.2	84.8	44.3	96.3	3.7	827
	Programme non formel	100.0	63.7	67.9	63.0	31.5	91.3	8.7	15
	Non Déclaré, NSP	100.0	51.1	51.1	48.9	.0	100.0	.0	2
Total	96.1	48.9	41.8	64.9	21.8	81.3	18.7	4674	

Monitoring HIV/AIDS Indicator

Table 32: Percentage of women aged 15-49 who correctly identify means of HIV transmission from mother to child, Togo, 2000

		Know AIDS can be transmitted from mother to child	Transmission during pregnancy possible	Transmission at delivery possible	Transmission through breastmilk possible	Knows all three	Did not know any specific way	Number of women 1.00
Wealth Index Quintiles	Tres pauvre	71.7	70.3	66.3	66.5	62.1	28.6	778
	Pauvre	79.1	77.5	73.3	75.2	70.0	21.0	827
	Modeste	83.0	81.8	77.5	79.8	74.8	17.3	854
	Riche	90.9	88.9	85.5	86.2	81.2	9.5	1011
	Tres riche	93.3	91.0	87.6	80.5	76.4	6.7	1203
Région	Lomé	92.6	90.1	85.7	77.2	72.4	7.6	884
	Maritime	95.0	94.7	93.0	92.1	90.4	5.0	1284
	Plateaux	81.9	78.6	72.6	76.7	67.9	18.6	1081
	Centrale	81.2	79.9	77.1	73.3	69.5	18.8	400
	Kara	78.3	75.9	71.0	73.0	66.3	22.0	506
URBAIN/RURAL	Savanes	61.1	60.7	57.9	58.9	56.3	38.9	519
	Urbain	91.8	89.9	86.5	82.0	77.7	8.4	1944
	Rural	79.8	78.1	74.1	75.8	70.7	20.5	2730
Groupe d'Age	15-19 ans	83.3	81.3	76.8	76.2	71.1	16.7	927
	20-24 ans	88.1	85.9	82.3	80.0	74.8	12.4	869
	25-29 ans	86.7	85.4	81.6	81.5	76.9	13.5	883
	30-34 ans	84.6	82.8	77.9	77.6	72.4	15.6	681
	35-39 ans	82.1	80.1	76.7	75.1	70.5	18.3	624
	40-44 ans	82.2	81.2	80.1	78.0	75.6	17.8	446
	45-49 ans	83.6	82.1	77.8	80.7	74.6	16.4	245
Niveau d'instruction de la femme	Sans instruction	77.0	75.4	72.2	73.4	69.3	23.3	2358
	Primaire	89.7	88.2	83.3	83.7	78.0	10.5	1473
	Secondaire & +	98.0	95.4	92.0	83.0	78.0	2.0	827
	Programme non formel	91.3	91.3	91.3	91.3	91.3	8.7	15
	Non Déclaré, NSP	100.0	100.0	100.0	48.9	48.9	.0	2
Total	84.8	83.0	79.2	78.4	73.6	15.4	4674	

Monitoring HIV/AIDS Indicator

Table 33: Percentage of women aged 15-49 who express a discriminatory attitude towards people with HIV/AIDS, Togo, 2000

		Believe that a teacher with HIV should not be allowed to work	Would not buy food from a person with HIV/AIDS	Agree with at least one discriminatory statement	Agree with neither discriminatory statement	Number of women
						1.00
Wealth Index Quintiles	Tres pauvre	62.1	86.5	87.3	12.7	778
	Pauvre	64.1	89.0	89.8	10.2	827
	Modeste	64.8	90.0	90.6	9.4	854
	Riche	58.7	89.1	90.6	9.4	1011
	Tres riche	39.1	78.2	81.2	18.8	1203
Région	Lomé	41.5	79.5	82.3	17.7	884
	Maritime	59.6	92.7	93.5	6.5	1284
	Plateaux	64.0	90.0	91.7	8.3	1081
	Centrale	59.1	81.2	82.3	17.7	400
	Kara	51.6	82.0	83.3	16.7	506
URBAIN/RURAL	Savanes	59.7	79.6	80.5	19.5	519
	Urbain	45.6	82.1	84.4	15.6	1944
Groupe d'Age	Rural	64.0	88.8	89.7	10.3	2730
	15-19 ans	56.0	85.5	87.4	12.6	927
	20-24 ans	53.9	85.8	86.7	13.3	869
	25-29 ans	57.4	84.7	87.1	12.9	883
	30-34 ans	56.1	89.0	90.0	10.0	681
	35-39 ans	57.5	85.3	86.8	13.2	624
	40-44 ans	56.0	85.9	87.0	13.0	446
Niveau d'instruction de la femme	45-49 ans	60.3	86.9	87.4	12.6	245
	Sans instruction	63.8	87.9	88.6	11.4	2358
	Primaire	58.2	88.2	89.9	10.1	1473
	Secondaire & +	31.3	76.6	79.8	20.2	827
	Programme non formel	79.7	96.1	96.1	3.9	15
Total	Non Déclaré, NSP	.0	48.9	48.9	51.1	2
		56.3	86.0	87.5	12.5	4674

Monitoring HIV/AIDS Indicator

Table 34: Percentage of women aged 15-49 who have sufficient knowledge of HIV/AIDS transmission, Togo, 2000

		Connaissance Sida	Know 3 ways to prevent HIV transmission	Correctly identify 3 misconceptions about HIV transmission	Have sufficient knowledge	Number of women 1.00
Wealth Index Quintiles	Tres pauvre	91.7	37.2	14.9	9.9	778
	Pauvre	93.6	38.7	18.2	10.5	827
	Modeste	96.4	38.4	17.2	10.1	854
	Riche	97.8	40.7	19.8	10.8	1011
	Tres riche	98.9	41.1	33.6	16.5	1203
Région	Lomé	98.8	36.7	27.3	13.7	884
	Maritime	98.7	37.1	25.9	13.0	1284
	Plateaux	98.1	44.2	13.3	7.7	1081
	Centrale	92.8	30.3	20.4	9.5	400
	Kara	92.3	37.1	20.4	10.9	506
URBAIN/RURAL	Savanes	86.8	49.5	22.4	18.2	519
	Urbain	98.2	39.9	29.6	14.3	1944
Rural	Rural	94.6	39.2	16.2	10.3	2730
	Groupe d'Age	15-19 ans	95.4	44.1	26.8	15.2
	20-24 ans	97.4	42.2	26.8	14.6	869
	25-29 ans	97.2	42.3	21.5	12.2	883
	30-34 ans	96.4	35.5	17.3	9.6	681
	35-39 ans	94.7	37.9	17.0	10.8	624
	40-44 ans	94.1	31.4	18.8	8.2	446
	45-49 ans	96.1	31.5	16.4	5.6	245
	Niveau d'instruction de la femme	Sans instruction	93.3	34.7	14.8	8.8
	Primaire	98.3	43.6	20.4	11.5	1473
	Secondaire & +	99.8	45.3	44.3	21.9	827
	Programme non formel	100.0	48.2	31.5	11.9	15
Total	Non Déclaré, NSP	100.0	51.1	.0	.0	2
		96.1	39.5	21.8	11.9	4674

Monitoring HIV/AIDS Indicator

Tableau 35: Pourcentage de femmes âgées de 15-49 ans qui connaissent un endroit où elles peuvent aller faire un test du SIDA, Togo, 2000

		Connaît un endroit pour faire le test du Sida	A déjà fait le test	A fait le test et a eu le résultat	Nombre de femmes
					1.00
Wealth Index Quintiles	Tres pauvre	12.0	.3	28.3	778
	Pauvre	14.0	1.8	65.3	827
	Modeste	24.3	1.7	60.0	854
	Riche	29.7	2.9	68.0	1011
	Tres riche	39.6	7.1	92.4	1203
Région	Lomé	33.5	6.4	93.8	884
	Maritime	27.2	2.4	87.4	1284
	Plateaux	23.5	3.0	58.2	1081
	Centrale	19.8	1.7	58.3	400
	Kara	33.1	2.7	75.6	506
URBAIN/RURAL	Savanes	9.0	1.5	78.4	519
	Urbain	35.3	5.5	87.0	1944
Groupe d'Age	Rural	18.5	1.5	63.9	2730
	15-19 ans	24.8	1.8	61.3	927
Groupe d'Age	20-24 ans	26.6	3.8	79.3	869
	25-29 ans	26.0	3.4	83.6	883
	30-34 ans	26.3	3.7	76.8	681
	35-39 ans	21.6	2.4	100.0	624
	40-44 ans	25.4	4.3	85.0	446
	45-49 ans	30.5	3.4	80.0	245
	Niveau d'instruction de la femme	Sans instruction	15.2	1.2	67.2
Primaire		28.4	3.0	74.8	1473
Secondaire & +		50.1	8.9	88.9	827
Programme non formel		8.0	8.0	100.0	15
Non Déclaré, NSP		.0	.0	.	2
Total		25.5	3.2	80.6	4674

Suivi Indicateur sur le VIH/SIDA

Tableau 36: Pourcentage de femmes mariées ou en union âgées de 15-49 ans qui utilisent actuellement (ou dont le partenaire utilise) une méthode contraceptive, Togo, 2000
method, Togo, 2000

		Méthode actuelle								
		Aucune méthode	Stérilisation féminine	Stérilisation masculine	Pilule	DIU	Injections	Implants (Norplants)	Condom	Condom féminin (Fémidom)
Wealth Index Quintiles	Tres pauvre	79.9	.2	.0	1.2	.2	1.5	.4	.5	.0
	Pauvre	75.6	.9	.2	1.3	.2	2.0	1.0	.8	.2
	Modeste	74.1	.1	.0	2.7	.2	2.6	.3	.9	.2
	Riche	71.1	.6	.0	3.7	.0	4.3	.7	1.5	.0
	Tres riche	70.9	1.6	.0	3.6	.4	4.3	2.4	4.5	.0
Région	Lomé	76.8	.5	.0	4.2	.3	2.6	1.0	4.9	.3
	Maritime	60.7	1.1	.2	3.5	.2	3.3	.7	1.5	.0
	Plateaux	76.4	.7	.0	2.8	.4	3.9	2.1	.7	.1
	Centrale	83.8	.2	.0	1.4	.0	1.5	.2	.8	.0
	Kara	81.5	1.1	.0	.5	.0	3.2	.9	2.0	.0
URBAIN/RURAL	Savanes	81.7	.1	.0	.6	.1	1.9	.1	.5	.0
	Urbain	73.5	1.3	.0	3.6	.1	3.9	1.5	3.6	.1
Niveau d'instruction de la femme	Rural	74.7	.4	.1	1.9	.2	2.5	.7	.7	.1
	Sans instruction	76.6	.6	.1	2.4	.1	2.5	.5	.6	.1
	Primaire	72.8	.7	.0	2.0	.3	3.8	1.1	2.6	.0
	Secondaire & +	65.2	1.1	.0	4.5	.7	3.4	3.5	5.0	.0
	Programme non formel	79.3	.0	.0	.0	.0	.0	.0	.0	.0
	Non Déclaré, NSP	.0	.0	.0	.0	.0	.0	.0	.0	.0
Total		74.3	.7	.0	2.5	.2	3.0	1.0	1.6	.1

Objectif du Sommet Mondial de l'Enfant => Numéro 10

Tableau 36: Pourcentage de femmes mariées ou en union âgées de 15-49 ans qui utilisent actuellement (ou dont le partenaire utilise) une méthode contraceptive, Togo, 2000
method, Togo, 2000

		Méthode actuelle						Total	Méthode moderne quelconque
		Diaphragme/Mousse/gelée	Méthode d'allaitement (LAM)	Abstinence prolongée	Retrait	Contenance périodique	Autre		
Wealth Index Quintiles	Tres pauvre	.3	3.0	8.4	.2	4.0	.2	100.0	4.3
	Pauvre	.0	5.4	6.0	.2	5.7	.5	100.0	6.6
	Modeste	.7	3.4	6.7	.6	7.4	.2	100.0	7.6
	Riche	.0	5.2	4.7	.6	7.6	.0	100.0	10.9
	Tres riche	.0	3.2	2.2	.4	6.4	.2	100.0	16.8
Région	Lomé	.0	1.0	1.6	.8	5.7	.3	100.0	13.8
	Maritime	.5	11.0	4.7	.5	12.0	.3	100.0	10.8
	Plateaux	.1	2.1	4.7	.4	5.0	.4	100.0	10.9
	Centrale	.0	2.1	3.7	.0	6.4	.0	100.0	4.1
	Kara	.0	1.3	7.5	.3	1.9	.0	100.0	7.6
URBAIN/RURAL	Savanes	.3	.7	12.8	.0	1.3	.0	100.0	3.6
	Urbain	.0	3.9	2.0	.3	5.9	.3	100.0	14.1
Niveau d'instruction de la femme	Rural	.3	4.1	7.4	.4	6.4	.2	100.0	6.8
	Sans instruction	.3	3.9	6.8	.3	5.2	.1	100.0	7.1
	Primaire	.1	5.2	3.9	.6	6.8	.1	100.0	10.6
	Secondaire & +	.0	2.0	2.9	.3	10.6	.8	100.0	18.2
	Programme non formel	.0	14.4	.0	.0	6.4	.0	100.0	.0
	Non Déclaré, NSP	.0	.0	.0	.0	100.0	.0	100.0	.0
Total		.2	4.0	5.6	.4	6.2	.2	100.0	9.3

Objectif du Sommet Mondial de l'Enfant => Numéro 10

Tableau 36: Pourcentage de femmes mariées ou en union âgées de 15-49 ans qui utilisent actuellement (ou dont le partenaire utilise) une méthode contraceptive, Togo, 2000
method, Togo, 2000

		Méthode traditionnelle quelconque	Toute méthode	Nomb re de femm e en union
				1.00
Wealth Index Quintiles	Tres pauvre	15.8	20.1	615
	Pauvre	17.8	24.4	631
	Modeste	18.3	25.9	645
	Riche	18.1	28.9	644
	Tres riche	12.3	29.1	639
Région	Lomé	9.4	23.2	454
	Maritime	28.4	39.3	848
	Plateaux	12.7	23.6	782
	Centrale	12.2	16.2	293
	Kara	10.9	18.5	365
URBAIN/RURAL	Savanes	14.7	18.3	432
	Urbain	12.4	26.5	1076
Niveau d'instruction de la femme	Rural	18.5	25.3	2099
	Sans instruction	16.3	23.4	1945
	Primaire	16.6	27.2	865
	Secondaire & +	16.6	34.8	354
	Programme non formel	20.7	20.7	9
Total	Non Déclaré, NSP	100.0	100.0	1
		16.4	25.7	3174

Objectif du Sommet Mondial de l'Enfant => Numéro 10

Tableau 37: Pourcentage de meres ayant eu une naissance survenue au cours des 12 derniers mois qui sont protégées contre le tétanos néonatal, Togo, 2000

		A reçu au moins 2 doses les 3 dernières années	A reçu au moins 3 doses, au cours des 10 dernières années	A reçu au moins 5 doses dans sa vie	Est protégé contre le tétanos	Nombre de femmes ayant eu 1 naissance depuis Août 1999
						1.00
Wealth Index Quintiles	Tres pauvre	92.2	.4	.0	92.6	154
	Pauvre	94.6	.0	.0	94.6	159
	Modeste	93.6	.0	.0	93.6	158
	Riche	95.5	.0	.0	95.5	141
	Tres riche	90.0	.0	.0	90.0	82
Région	Lomé	91.9	.0	.0	91.9	73
	Maritime	93.2	.0	.0	93.2	178
	Plateaux	95.0	.0	.0	95.0	158
	Centrale	92.2	.0	.0	92.2	58
	Kara	93.4	.0	.0	93.4	93
URBAIN/RURAL	Savanes	93.6	.4	.0	94.0	134
	Urbain	91.8	.0	.0	91.8	192
Niveau d'instruction de la femme	Rural	94.1	.1	.0	94.2	502
	Sans instruction	92.4	.1	.0	92.6	436
	Primaire	95.0	.0	.0	95.0	210
	Secondaire & +	96.2	.0	.0	96.2	47
	Programme non formel	100.0	.0	.0	100.0	1
Total		93.5	.1	.0	93.6	694

Objectif du Sommet Mondial de l'Enfant => Numéro 22

Tableau 38 : Répartition (%) des femmes âgées de 15-49 ans ayant eu une naissance survenue au cours de la dernière année par type de personnel dispensant les soins prénatals, Togo, 2000

		Personne vue pour les soins prénatals						Total	A vu un personnel médical	Nomb re de femm es
		Docteur	Infirmière/Sa ge femme	Sage femme auxiliaire	Accoucheuse traditionnelle	Autre personne	N'a vu personne			Total
Wealth Index Quintiles	Tres pauvre	1.1	33.7	22.0	3.0	12.9	27.2	100.0	56.9	154
	Pauvre	1.4	46.7	24.5	.7	15.4	11.3	100.0	72.6	159
	Modeste	2.2	39.5	24.8	3.0	15.7	14.8	100.0	66.5	158
	Riche	5.9	55.9	22.6	1.4	7.9	6.3	100.0	84.3	141
	Tres riche	16.2	62.5	17.6	.0	3.7	.0	100.0	96.3	82
Région	Lomé	14.5	64.5	14.5	.0	1.6	4.8	100.0	93.5	73
	Maritime	3.8	49.9	28.2	2.9	1.4	13.8	100.0	81.9	178
	Plateaux	4.0	40.8	14.5	.7	23.0	17.0	100.0	59.3	158
	Centrale	1.9	45.6	17.5	1.9	25.2	7.8	100.0	65.1	58
	Kara	3.0	53.8	20.6	1.8	13.1	7.6	100.0	77.4	93
URBAIN/RURAL	Savanes	1.0	31.1	33.9	2.6	12.2	19.2	100.0	65.9	134
	Urbain	8.4	67.4	17.5	.4	1.1	5.2	100.0	93.3	192
	Rural	2.6	37.7	24.8	2.4	16.2	16.4	100.0	65.1	502
Niveau d'instruction de la femme	Sans instruction	3.1	38.5	25.7	2.3	13.1	17.3	100.0	67.3	436
	Primaire	3.1	56.3	21.2	1.1	10.8	7.4	100.0	80.6	210
	Secondaire & +	19.0	67.5	3.8	.0	7.0	2.7	100.0	90.3	47
	Programme non formel	.0	100.0	.0	.0	.0	.0	100.0	100.0	1
Total		4.2	45.9	22.8	1.8	12.0	13.3	100.0	72.9	694

Objectif du Sommet Mondial pour les Enfants => Numéros 9, 11

Table 39 : Repartition (en %) des femmes agees de 15-49 ans ayant eu une naissance survenue au cours de la derniere annee par type de personnel assistant dans l'accouchement, Togo, 2000

		Assistance pendant l'accouchement							Total
		Aucune assistance	Docteur	Sage femme	Sage femme auxiliaire	Accoucheuse traditionnelle	Parent et ami	Autre	
Wealth Index	Tres pauvre	6.8	.0	14.1	8.8	31.3	30.4	8.6	100.0
Quintiles	Pauvre	4.4	2.2	22.5	12.0	18.7	31.2	9.0	100.0
	Modeste	4.2	3.5	29.2	15.1	12.6	25.0	10.4	100.0
	Riche	2.6	6.1	46.1	15.7	6.9	15.1	7.6	100.0
	Tres riche	.0	7.8	64.5	16.1	.4	2.8	8.3	100.0
REGION	Lomé	1.6	11.3	64.5	12.9	.0	1.6	8.1	100.0
	Maritime	5.2	4.0	39.0	17.8	6.5	23.3	4.3	100.0
	Plateaux	4.0	3.6	20.5	9.1	5.0	41.1	16.7	100.0
	Centrale	3.9	1.0	39.8	16.5	5.8	17.5	15.5	100.0
	Kara	4.0	2.0	40.0	16.3	23.1	8.4	6.1	100.0
	Savanes	3.6	.4	9.1	8.8	47.6	25.4	5.1	100.0
URBAIN/RURAL	Urbain	3.7	7.3	60.6	13.4	2.5	6.8	5.7	100.0
	Rural	4.1	2.0	21.0	13.2	20.6	29.2	10.0	100.0
Niveau d'instruction de la femme	Sans instruction	5.5	3.6	23.0	11.4	21.5	27.4	7.6	100.0
	Primaire	1.7	2.2	45.9	17.5	6.7	16.4	9.7	100.0
	Secondaire & +	.0	7.6	51.1	11.2	.0	12.7	17.3	100.0
	Programme non formel	.0	.0	100.0	.0	.0	.0	.0	100.0
Total		4.0	3.5	31.9	13.2	15.6	23.0	8.8	100.0

Objectif du Sommet Mondial pour les Enfants => Numero 11

Table 39 : Repartition (en %) des femmes agees de 15-49 ans ayant eu une naissance survenue au cours de la derniere annee par type de personnel assistant dans l'accouchement, Togo, 2000

		Assistance d'un spécialiste	Number of women
			1.00
Wealth Index Quintiles	Tres pauvre	22.9	154
	Pauvre	36.7	159
	Modeste	47.7	158
	Riche	67.9	141
	Tres riche	88.5	82
REGION	Lomé	88.7	73
	Maritime	60.7	178
	Plateaux	33.2	158
	Centrale	57.3	58
	Kara	58.3	93
URBAIN/RURAL	Savanes	18.3	134
	Urbain	81.2	192
	Rural	36.1	502
Niveau d'instruction de la femme	Sans instruction	38.0	436
	Primaire	65.6	210
	Secondaire & +	70.0	47
	Programme non formel	100.0	1
Total		48.6	694

Objectif du Sommet Mondial pour les Enfants => Numero 11

Table 40: Percent distribution of children aged 0-59 months by whether birth is registered and reasons for non-registration, Togo, 2000

		Birth registered	DK if birth registered	Registration status					
				Costs too much	Must travel too far	Didn't know it should be registered	Late & didn't want to pay fine	Doesn't know where to register	Other
Wealth Index Quintiles	Tres pauvre	72.9	2.1	30.5	21.6	6.4	5.3	3.8	32.5
	Pauvre	79.7	2.4	38.4	21.8	3.4	2.9	2.3	31.2
	Modeste	80.8	.9	27.6	13.1	6.0	8.2	6.8	38.3
	Riche	87.9	1.3	26.5	6.2	12.2	19.6	7.1	28.2
	Tres riche	96.0	1.0	28.1	15.9	7.9	14.5	.0	33.6
SEXE	Masculin	83.0	2.0	30.7	15.3	7.1	8.3	4.6	34.1
	Féminin	81.2	1.1	31.5	19.4	5.7	6.7	4.4	32.2
Région	Lomé	95.6	.8	22.2	11.1	22.2	11.1	.0	33.3
	Maritime	86.2	1.5	30.7	14.6	4.4	9.4	5.8	35.1
	Plateaux	72.4	2.6	41.7	8.3	5.9	6.3	5.3	32.4
	Centrale	76.9	1.3	10.1	20.2	11.2	6.1	6.1	46.4
	Kara	76.5	2.2	31.6	26.5	7.6	6.5	3.4	24.4
URBAIN/RURAL	Savanes	89.2	.4	18.6	39.6	.7	10.5	.0	30.6
	Urbain	93.1	1.3	39.3	5.9	13.0	23.9	1.3	16.5
	Rural	78.0	1.7	30.3	18.7	5.7	5.8	4.8	34.8
Age	< 6 mois	70.4	1.4	26.5	14.9	8.4	6.9	3.2	40.0
	6-11 mois	82.1	.5	32.1	19.8	4.1	6.4	1.1	36.4
	12-23 mois	82.8	1.1	32.0	17.9	2.9	9.5	4.3	33.5
	24-35 mois	83.6	1.1	35.1	15.5	3.5	6.5	8.3	31.2
	36-47 mois	83.1	2.4	30.7	14.7	11.8	9.0	4.6	29.3
	48-59 mois	86.4	2.6	29.6	26.3	7.6	5.3	4.1	27.2
Mother's education level	Aucun niveau	79.1	1.9	31.8	20.2	5.9	6.6	3.0	32.5
	primaire	85.1	1.2	29.5	7.4	7.8	9.7	9.6	36.1
	Secondaire + programme non formel	97.1	.5	28.0	24.4	6.9	20.4	.0	20.4
	Manquant/NSP	.0	.0	.0	100.0	.0	.0	.0	.0
Total	100.0	.0	.0	.0	.0	.0	.0	.0	.0
		82.1	1.6	31.1	17.5	6.3	7.5	4.5	33.1

Monitoring Children's Rights Indicator

Table 40: Percent distribution of children aged 0-59 months by whether birth is registered and reasons for non-registration, Togo, 2000

		Total	Number of children
Wealth Index Quintiles	Tres pauvre	100.0	746
	Pauvre	100.0	684
	Modeste	100.0	678
	Riche	100.0	591
	Tres riche	100.0	430
SEXE	Masculin	100.0	1574
	Féminin	100.0	1555
Région	Lomé	100.0	317
	Maritime	100.0	788
	Plateaux	100.0	797
	Centrale	100.0	281
	Kara	100.0	404
URBAIN/RURAL	Savanes	100.0	541
	Urbain	100.0	852
	Rural	100.0	2277
Age	< 6 mois	100.0	359
	6-11 mois	100.0	337
	12-23 mois	100.0	638
	24-35 mois	100.0	636
	36-47 mois	100.0	628
	48-59 mois	100.0	528
Mother's education level	Aucun niveau	100.0	2032
	primaire	100.0	850
	Secondaire +	100.0	244
	programme non formel	100.0	1
	Manquant/NSP	.0	1
Total		100.0	3129

Monitoring Children's Rights Indicator

Table 41: Percentage of children 0-14 years of age in households not living with a biological parent, Togo, 2000

		Living arrangement							
		Living with both parents	Living with neither: only father alive	Living with neither: only mother alive	Living with neither: both are alive	Living with neither: both are dead	Living with mother only: father alive	Living with mother only: father dead	Living with father only: mother alive
Wealth Index Quintiles	Tres pauvre	69.9	.9	1.1	7.3	1.2	7.9	4.5	3.1
	Pauvre	69.0	.8	1.3	7.2	.8	8.4	5.2	3.4
	Modeste	67.8	.8	1.6	8.3	1.0	10.1	4.1	3.5
	Riche	55.8	1.0	1.2	10.1	.8	15.6	3.8	4.2
	Tres riche	52.4	1.2	2.5	12.2	2.5	11.6	4.0	5.3
SEXE	Masculin	65.5	.6	1.3	7.4	1.1	10.4	4.2	4.3
	Féminin	62.3	1.2	1.7	10.2	1.3	10.6	4.5	3.3
REGION	Lomé	44.6	.8	2.8	10.6	3.0	12.9	5.7	5.8
	Maritime	56.6	1.6	.9	10.4	.7	15.2	3.8	4.5
	Plateaux	63.8	.8	1.7	10.8	1.3	11.9	3.2	3.4
	Centrale	65.0	1.0	1.2	8.9	1.0	9.0	2.8	3.8
	Kara	71.4	.7	1.9	8.3	1.2	6.7	5.6	2.8
URBAIN/RURAL	Savanes	81.7	.2	1.1	2.4	.7	3.1	6.0	2.7
	Urbain	52.0	.9	1.7	10.9	1.7	14.8	5.5	5.4
	Rural	68.8	.9	1.4	8.0	1.0	8.8	3.9	3.1
Age	0-4 years	75.6	.4	.2	2.3	.2	13.9	2.4	1.0
	5-9 years	63.3	1.0	1.4	11.1	1.2	9.0	4.1	4.5
	10-14 years	54.1	1.2	2.8	12.0	2.1	9.2	6.4	5.6
Total		63.9	.9	1.5	8.8	1.2	10.5	4.3	3.8

Monitoring Children's Rights Indicator

Table 41: Percentage of children 0-14 years of age in households not living with a biological parent, Togo, 2000

		Living arrangement		Total	One parent dead status of second parent not known	Not living with a biological parent	One or both parents dead	One or both parents dead NEW	Number of children
		Living with father only: mother dead	Impossible to determine						
Wealth Index Quintiles	Tres pauvre	1.9	2.2	100.0	.0	10.5	9.6	9.6	2360
	Pauvre	1.8	1.9	100.0	.0	10.2	10.0	10.0	2156
	Modeste	1.0	1.9	100.0	.0	11.7	8.4	8.4	2186
	Riche	1.4	6.0	100.0	.0	13.1	8.2	8.3	1936
	Tres riche	.8	7.4	100.0	.0	18.4	11.0	11.0	1581
SEXE	Masculin	1.8	3.4	100.0	.0	10.4	9.0	9.0	5123
	Féminin	1.0	3.8	100.0	.0	14.4	9.8	9.8	5096
REGION	Lomé	1.0	13.0	100.0	.0	17.1	13.2	13.2	1054
	Maritime	1.3	4.8	100.0	.0	13.7	8.4	8.4	2711
	Plateaux	1.6	1.4	100.0	.0	14.7	8.6	8.6	2535
	Centrale	1.7	5.6	100.0	.0	12.1	7.7	7.7	958
	Kara	.8	.5	100.0	.0	12.2	10.2	10.2	1288
URBAIN/RURAL	Savanes	2.0	.2	100.0	.0	4.4	10.0	10.0	1672
	Urbain	1.3	5.7	100.0	.0	15.3	11.2	11.2	2986
	Rural	1.5	2.7	100.0	.0	11.2	8.6	8.6	7233
Age	0-4 years	.3	3.6	100.0	.0	3.2	3.6	3.6	2995
	5-9 years	1.2	3.1	100.0	.0	14.7	8.9	8.9	3857
	10-14 years	2.6	4.1	100.0	.0	18.1	15.1	15.1	3367
Total		1.4	3.6	100.0	.0	12.4	9.4	9.4	10219

Monitoring Children's Rights Indicator

Table 42a: Percentage of children 5-14 years of age who are currently working, Togo, 2000

		Paid work	Unpaid work	Domestic work: < 4 hours/day	Domestic work: 4 or more hours/day	Family work (farm or business)	Currently working	Number of children
Wealth Index Quintiles	Tres pauvre	13.3	9.4	73.8	8.2	60.30	67.4	1645
	Pauvre	14.2	11.2	77.5	7.1	63.57	71.7	1510
	Modeste	12.2	13.8	77.1	6.2	66.39	73.9	1528
	Riche	15.1	13.0	77.4	6.9	48.12	63.9	1377
	Tres riche	10.6	13.3	75.7	8.0	34.64	50.1	1162
SEXE	Masculin	13.3	12.4	75.8	4.0	57.87	66.8	3623
	Féminin	13.0	11.6	76.7	10.6	53.76	65.6	3600
REGION	Lomé	12.7	14.1	71.7	9.8	24.61	44.6	749
	Maritime	13.7	13.6	83.2	4.0	47.69	63.0	1954
	Plateaux	11.0	20.4	77.2	6.7	70.59	77.7	1770
	Centrale	10.7	8.4	73.9	6.9	60.35	66.7	698
	Kara	15.4	2.3	67.7	9.6	60.42	67.5	900
URBAIN/RURAL	Savanes	15.6	5.1	74.2	10.5	60.88	66.8	1152
	Urbain	13.5	13.6	75.0	6.7	37.60	54.7	2172
	Rural	13.0	11.3	76.8	7.5	63.66	71.2	5051
Age	5-9 years	8.8	10.1	73.4	3.6	43.45	52.6	3857
	10-14 years	18.2	14.2	79.6	11.5	70.00	81.9	3367
Total		13.2	12.0	76.3	7.3	55.82	66.2	7223

Monitoring Children's Rights Indicator